

1.	INTRODUCTION.....	2
2.	COMMON KNOWLEDGE BASE	2
2.1	RELATION BETWEEN CONCEPTS.....	2
2.2	CONCEPTS PROPERTIES	4
3.	ASSESSMENT SUBSYSTEM.....	16
3.1	CONCEPTS PROPERTIES	16
3.2	RELATIONS BETWEEN EXPRESSIONS.....	16
3.3	INFERENCE LAYER.....	16
3.4	TASK LAYER	17
3.5	USER INTERFACE	17
3.6	MULTIMEDIA INTEGRATION.....	20
3.7	TEST CASES	20
4.	PLANT CARE SUBSYSTEM.....	20
4.1.	RELATION BETWEEN CONCEPTS.....	22
4.2.	CONCEPTS PROPERTIES	23
4.3.	RELATIONS BETWEEN EXPRESSIONS.....	24
4.4.	INFERENCE LAYER.....	24
4.5.	TASK LAYER	24
4.6.	USER INTERFACE	24
4.7.	TEST CASES	28
5.	DIAGNOSIS SUBSYSTEM.....	34
5.1	RELATIONS BETWEEN EXPRESSIONS.....	34
5.2	INFERENCE LAYER.....	36
5.3	TASK LAYER	38
5.4	USER INTERFACE	39
5.5	DIAGNOSIS TEST CASE.....	40
6.	TREATMENT SUBSYSTEM.....	42
6.1.	RELATIONS BETWEEN EXPRESSIONS.....	42
6.2.	INFERENCE LAYER.....	53
6.3.	TASK LAYER	54
6.4.	USER INTERFACE	55
6.5.	TREATMENT TEST CASE.....	56
7.	DATABASE.....	58
8.	MULTIMEDIA	64
8.1.	MULTIMEDIA COMPONENTS.....	64
8.2.1	<i>Documents.....</i>	64
8.2.2	<i>Images.....</i>	64
8.2.3	<i>Video Clips.....</i>	64
8.2.	MULTIMEDIA LINKING	64
8.2.1	<i>Linking words with text in the books.....</i>	64
8.2.2	<i>Linking the images with the Books.....</i>	65
8.2.3	<i>Linking the Video clips with the Books.....</i>	65
9.	USER INTERFACE	66

1. Introduction


This report includes the integrated design of four sub expert systems in CITEX4 called: assessment, plant care, diagnosis and treatment in addition to other two subsystems: the database and the multimedia of CITEX4. The separated designs for each one of them has been published under the following technical report numbers: TR/CLAES/70/99.4, TR/CLAES/77/99.7, TR/CLAES/61/99.3, TR/CLAES/142/2000.5, TR/CLAES/53/99.1, and TR/CLAES/56/99.2 respectively. There are other two amendment reports for both diagnosis and treatment sub systems design: TR/CLAES/73/99.5 and TR/CLAES/110/2000.2 respectively. The comments that included in the reviewing reports for each sub system in the corresponding technical reports: TR/CLAES/152/2000.8, TR/CLAES/172/2000.11, TR/CLAES/167/2000.10, TR/CLAES/153/2000.8, TR/CLAES/166/2000.10, and TR/CLAES/180/2000.12 respectively are considered.


The following eight sections represent the design of the common knowledge base, assessment expert system, plant care expert system, diagnosis expert system, treatment expert system, database system, multimedia system, and user interface system.

2. Common Knowledge Base

2.1 Relation between Concepts

Variety





Notes: 1) The black_root_rot and brown_rot concepts are removed from the disorder concept
 2) The leaf part with the extension _op are added dew to the implementation.

2.2 Concepts properties

Concept	Property	Facets	
Plantation	Plantation_Date	V.S.	DB
		V.T.	Date
		S/M.	S
		P.V.	date
	Existence	V.S.	Derived
		V.T.	Boolean
		S/M.	S
		P.V.	yes, no
	Current_Date	V.S.	Derived, user
		V.T.	Date
		S/M.	S
		P.V.	System Date
	type	V.S.	data base
		V.T.	Boolean
		S/M.	single
		P.V.	شكلات , مجمدة
	appearance	V.S.	user
V.T.		Boolean	
S/M.		single	
P.V.		استخدام الري بالتنقيط وجود ماء ري يكفي لحاجة المؤقتات وشتلات الموالح معا تم قطف الثمار ضعف انتاج الصنف الاشجار فى مرحلة التزهير والعقد	
Soil	Texture	V.S.	DB
		V.T.	Nominal
		S/M.	S
		P.V.	sand, loam, clay, sily clay, sily loam, sily clay loam, sandy loam, clay loam, sandy clay loam, heavy clay, coarse sand, gravelly
	Water_Table_Level	V.S.	DB
		V.T.	Real
		S/M.	S
		P.V.	0.1 : 14
	EC	V.S.	DB
		V.T.	Real
	S/M.	S	
	P.V.	0.1 : 14	

Concept	Property	Facets	
	ESP	V.S.	DB
		V.T.	Real
		S/M.	S
		P.V.	1 : 100
	Ca_Carbonate	V.S.	DB
		V.T.	Real
		S/M.	S
		P.V.	0.1: 100
	S_Status	V.S.	Derived
		V.T.	Nominal
		S/M.	M
		P.V.	suitable soil, texture def, saline, alkaline, caliche, water table def, unsuitable soil, clacareous
	pH	V.S.	DB
		V.T.	Real
		S/M.	S
		P.V.	0.1..14.0
Water	Boron	V.S.	DB
		V.T.	Real
		S/M.	S
		P.V.	0.01 : 5
	ECiw	V.S.	DB
		V.T.	Real
		S/M.	S
		P.V.	0.01 : 10
	SAR	V.S.	DB
		V.T.	Real
		S/M.	S
		P.V.	0.1 : 100
	RSC	V.S.	DB
		V.T.	Real
		S/M.	S
		P.V.	0.01 : 5
	W_Status	V.S.	Derived
		V.T.	Nominal
		S/M.	M
		P.V.	suitable water, boron def, saline1, saline2,alkaline, unsuitable water
Plant	Age	V.S.	Derived
		V.T.	Real
		S/M.	S
		P.V.	0 : 50
	Current_Month	V.S.	Derived
		V.T.	Integer
		S/M.	S
		P.V.	1 : 12

Concept	Property	Facets	
	Season	V.S.	Derived
		V.T.	Nominal
		S/M.	S
		P.V.	spring, summer, autumn, winter
	Current_week	V.S.	Derived
		V.T.	Integer
		S/M.	S
		P.V.	>=1 <= 52
	Yield	V.S.	Derived
		V.T.	Real
		S/M.	S
		P.V.	0 : 50
Variety	value	V.S.	DB
		V.T.	nominal
		S/M.	S
		P.V.	Navel, Succar, Valencia, Lime
farm_data	sid	V.S.	user
		V.T.	integer
		S/M.	M
		P.V.	1..10
	gid	V.S.	user
		V.T.	integer
		S/M.	S
		P.V.	1..1000
	did	V.S.	user
		V.T.	integer
		S/M.	S
		P.V.	1..1000
	fid	V.S.	user
		V.T.	integer
		S/M.	S
		P.V.	1..1000
	month	V.S.	user
		V.T.	integer
		S/M.	S
		P.V.	1..12
Disorder	Suspected	V.S.	User / Derived
		V.T.	nominal
		S/M.	M
		prompt	Select one or more disorders from the following list ⁶
		P.V.	all disorders
	Confirmed	V.S.	Derived
		V.T.	nominal
		S/M.	S
		P.V.	all disorders
	Highly Confirmed	V.S.	Derived
		V.T.	nominal
		S/M.	S
		P.V.	all disorders

Concept	Property	Facets	
	Nitrogen_Infestation	V.S.	User
		V.T.	nominal
		S/M.	S
		P.V.	low, very low
	Phosphorus_Infestation	V.S.	User
		V.T.	nominal
		S/M.	S
		P.V.	low, very low
	Potassium_Infestation	V.S.	User
		V.T.	nominal
		S/M.	S
		P.V.	low, very low
	iron_def_sp	V.S.	User
		V.T.	nominal
		S/M.	S
		prompt	What is the spread range of the iron defection infestation
		P.V.	'most trees'
	manganese_def_sp	V.S.	User
		V.T.	nominal
		S/M.	S
		prompt	What is the spread range of the manganese defection infestation
		P.V.	'most trees'
	zinc_def_sp	V.S.	User
		V.T.	nominal
		S/M.	S
		prompt	What is the spread range of the zinc defection infestation
		P.V.	'most trees'
	nitrogen_def_sp	V.S.	User
V.T.		nominal	
S/M.		S	
prompt		What is the spread range of the nitrogen defection infestation	
P.V.		'most trees'	
calcium_def_sp,	V.S.	User	
	V.T.	nominal	
	S/M.	S	
	prompt	What is the spread range of the calcium defection infestation	
	P.V.	'most trees'	
salt_injury_sp	V.S.	User	
	V.T.	nominal	
	S/M.	S	
	prompt	What is the spread range of the salt_injury defection infestation	
	P.V.	'most trees'	
	magnesium_def_sp	V.S.	User
		V.T.	nominal
		S/M.	S

Concept	Property	Facets		
		prompt	What is the spread range of the magnesium defection infestation	
		P.V.	'most trees'	
		potassium_def_sp	V.S.	User
			V.T.	nominal
		S/M.	S	
		prompt	What is the spread range of the potassium defection infestation	
		P.V.	'most trees'	
Leaves	L_Color	V.S.	User	
		V.T.	nominal	
		S/M.	M	
		prompt	What is the leaves color?	
		P.V.	green, green network, light green, dark green, green to red, yellow, brown, black, purple, bronze	
	L_Shape	V.S.	User	
		V.T.	nominal	
		S/M.	M	
		prompt	What is the leaves shape?	
		P.V.	normal, curled, webbed, honey dew, cup shape, unsimilar blade halves, zigzag tunnels	
	L_Status	V.S.	User	
		V.T.	nominal	
		S/M.	M	
		prompt	What is the leaves status?	
		P.V.	normal, drop, insect persent, small, wilted	
	L_Type	V.S.	User	
		V.T.	nominal	
		S/M.	M	
		prompt	What is the age of the infected leaves?	
		P.V.	new leaves, old leaves	
	L_C_Position	V.S.	User	
		V.T.	nominal	
		S/M.	M	
			prompt	Where is the position of the infestation on the leaves?
P.V.			entire leaf, inverted V, lower surface, upper surface, outer edge, leaf base, leaf margin, veins, between veins, main veins, leaf tip	
Leaf_Spots	Existence	V.S.	User	
		V.T.	nominal	
		S/M.	S	

Concept	Property	Facets	
		prom pt	Are there any spots on leaves?
		P.V.	yes, no
	L_S_Color	V.S.	User
		V.T.	nominal
		S/M.	M
		prom pt	What is color of the spots on leaves?
		P.V.	yellow, brown, dusty, silver, rust, black
	L_S_Shape	V.S.	User
		V.T.	nominal
		S/M.	M
		prom pt	What is shape of the spots on leaves?
		P.V.	raised, sunken, necrotic, zigzag tunnels, concentric zones
	L_S_Position	V.S.	User
		V.T.	nominal
		S/M.	M
		prom pt	What is position of the spots on leaves?
		P.V.	scattered, upper surface, lower surface, between veins, between veins of lower surface, midrib upper surface
Fruits	F_Color	V.S.	User
		V.T.	nominal
		S/M.	M
		prom pt	What is the fruits color?
		P.V.	normal, green, yellow, black, rust, purple, yellow styler end, green styler end, silver
	F_Shape	V.S.	User
		V.T.	nominal
		S/M.	M
		prom pt	What is the fruits shape?
		P.V.	normal, soft, cracks, asymatric, small, malformed, coarse
	F_R_status	V.S.	User
		V.T.	nominal
		S/M.	M
		prom pt	What is the fruits status?
		P.V.	normal, rough, leathery, thickened, thin, reduced, creasing, rough and thickened, irregular
	F_C_position	V.S.	User
V.T.		nominal	
S/M.		M	
	prom	What is the position of the infestation on	

Concept	Property	Facets	
		pt	the fruit?
		P.V.	entire fruit, styler end
Fruit_spots	Existence	V.S.	User
		V.T.	nominal
		S/M.	S
		prom pt	Are there spots on fruit?
		P.V.	yes, no
		F_S_Color	V.S.
		V.T.	nominal
		S/M.	M
		prom pt	What is the color of the spots on the fruit?
		P.V.	green, yellow, brown, red, silver, bronze, scabby patches
	F_S_Position	V.S.	User
		V.T.	nominal
		S/M.	M
		prom pt	What is the position of the spots on the fruit?
		P.V.	scattered, any position, rind, stiller & stem ends, fruits facing the sun
	F_S_Shape	V.S.	User
		V.T.	nominal
		S/M.	M
		prom pt	What is the shape of the spots on the fruit?
		P.V.	circular, irregular, raised, coarse, large and circular, gum pocket, zigzag tunnels
Flowers	Fl_Color	V.S.	User
		V.T.	nominal
		S/M.	M
		prom pt	What is the flowers color?
		P.V.	normal, brown, yellow
	Fl_Status	V.S.	User
		V.T.	nominal
		S/M.	M
		prom pt	What is the flowers status?
		P.V.	normal, drop
	Fl_Shape	V.S.	User
		V.T.	nominal
	S/M.	M	
	prom pt	What is the flowers shape?	
	P.V.	normal, aggregated, eaten	
Branches	B_Color	V.S.	User
		V.T.	nominal
		S/M.	M
		prom	What is the branches color?

Concept	Property	Facets		
		pt		
		P.V.	normal, brown, black, rust, pale, spotted yellowish	
	B_Status	V.S.	User	
		V.T.	nominal	
		S/M.	M	
		prom pt	What is the branches status?	
		P.V.	normal, stunted, flattened, thickened, dry, die back, insect present, gray fellvet, decline	
	B_Type	V.S.	User	
		V.T.	nominal	
		S/M.	M	
		prom pt	What is the age of the infected branches?	
		P.V.	flushes, old growths	
	Trunk	T_Shape	V.S.	User
			V.T.	nominal
S/M.			S	
prom pt			What is the trunk shape?	
P.V.			normal, fungal growths, lichen growths, bark scaling, gum spots, dwarfing	
T_Position		V.S.	User	
		V.T.	nominal	
		S/M.	M	
		prom pt	What is the trunk position?	
		P.V.	Basal part, feeder roots	
Buds	U_Color	V.S.	User	
		V.T.	nominal	
		S/M.	M	
		prom pt	What is the buds color?	
		P.V.	normal, brown	
	U_Shape	V.S.	User	
		V.T.	nominal	
		S/M.	M	
		prom pt	What is the buds shape?	
		P.V.	rosette, deformed	
	U_Status	V.S.	User	
		V.T.	nominal	
		S/M.	M	
		prom pt	What is the buds status?	
Roots	R_Color	P.V.	normal, abnormal	
		V.T.	nominal	

Concept	Property	Facets		
	R_Status	S/M.	M	
		Prompt	What is the root color?	
		P.V.	normal, brown, black	
		V.S.	User	
		V.T.	nominal	
		S/M.	M	
		Prompt	What is the root status?	
		P.V.	normal, fungal growths, sloughing, necrotic, adhesive	
		R_Type	V.S.	User
	V.T.	nominal		
	S/M.	M		
	Prompt	What is the type of the infected roots?		
	P.V.	main roots, feeder roots		
	Twigs	Tw_Color	V.S.	User
			V.T.	nominal
S/M.			M	
Prompt			What is the twigs color?	
P.V.			brown, rust	
Tw_Shape		V.S.	User	
		V.T.	nominal	
		S/M.	M	
		Prompt	What is the twigs shape?	
		P.V.	eaten	
Tw_Status		V.S.	User	
		V.T.	nominal	
		S/M.	M	
		Prompt	What is the twigs status?	
		P.V.	dieback	
Insects	I_Color	V.S.	User	
		V.T.	nominal	
		S/M.	M	
		Prompt	What is the insects color?	
		P.V.	green, black, white, red, purple	
	I_Status	V.S.	User	
		V.T.	nominal	
		S/M.	M	
		Prompt	What is the insects status?	
P.V.		stationary, flying, stucked, aggregated		
Operation	Material_Name	V.S.	Derived	
		V.T.	Nominal	
		S/M.	M	
		P.V.	all materials	

Concept	Property	Facets	
	Material_Qty	V.S.	Derived
		V.T.	Real
		S/M.	S
		P.V.	> 0.0
	Method	V.S.	Derived
		V.T.	Nominal
		S/M.	S
		P.V.	painting, disinfection, soil_treatment, foliage nutrition, chemical spray, advice
	Unit	V.S.	Derived
		V.T.	String
		S/M.	S
		P.V.	text
	material_gr1	V.S.	user
		V.T.	Nominal
		S/M.	M
		P.V.	'K.Z. 95%', ' Kimisol 95%', ' super masrona 94%', ' super royal 95%'
	material_gr2	V.S.	user
		V.T.	Nominal
		S/M.	M
		P.V.	'actellic 50%', aikaten, ' anthio 33%', 'super aside'
	material_gr3	V.S.	user
		V.T.	Nominal
		S/M.	M
		P.V.	'caprimex 98%', 'copox 50%', copper_oxychloride, 'cuprus K.Z 50%', 'halomac 65', 'pory coper 50%', 'pro coper 50%'
	material_gr4	V.S.	user
		V.T.	Nominal
		S/M.	M
		P.V.	'agro oil 80%', 'bolum oil 80%', 'focal oil 82%', 'masrona oil 80%', 'royal oil 80%'
	material_gr5	V.S.	user
		V.T.	Nominal
S/M.		M	
	P.V.	'vertimec + K.Z oil 95%', 'vertimec + Kimisol oil 95%', 'vertimec + super masrona 94%', 'vertimec + super royal oil 95%'	
material_gr6	V.S.	user	
	V.T.	Nominal	
	S/M.	M	
	P.V.	'neron 50%', 'ortis 5% sc + kz oil', 'vertimec 1.8% + kz oil'	
material_gr7	V.S.	user	
	V.T.	Nominal	

Concept	Property	Facets	
		S/M.	M
		P.V.	'ortis 5% sc + kz oil', pride, 'vertimec 1.8% + kz oil'
	material_gr8	V.S.	user
		V.T.	Nominal
		S/M.	M
		P.V.	'furidan 10%', 'ragbi 10%', 'temic 15%'
	material_gr9	V.S.	user
		V.T.	Nominal
		S/M.	M
		P.V.	urea, 'ammonium nitrate'
	material_gr10	V.S.	user
		V.T.	Nominal
		S/M.	M
		P.V.	potassium_nitrate, potassium_sulfate
	material_gr11	V.S.	user
		V.T.	Nominal
		S/M.	M
		P.V.	'calcium chloride', 'calcium nitrate'
	material_gr12	V.S.	user
		V.T.	Nominal
S/M.		M	
P.V.		'ibacid 50% + bominal', 'malthion 57% + policulture'	
Treat_Op	Tool	V.S.	Derived
		V.T.	Nominal
		S/M.	M
		P.V.	manual, sprayer motor
	Date	V.S.	Derived
		V.T.	Date
		S/M.	S
		P.V.	date
	special_date	V.S.	Derived
		V.T.	string
		S/M.	S
		P.V.	text
	Application_Time	V.S.	Derived
		V.T.	Nominal
		S/M.	M
		P.V.	early morning or after noon, any suitable time
	Advice	V.S.	Derived
		V.T.	String
		S/M.	M
		P.V.	text
Number	V.S.	Derived	
	V.T.	Integer	
	S/M.	S	
	P.V.	> 0 , <= 50	

Notice that

1. The property name for concept variety is replaced by value.
2. value 'clacareous' of property 's_status' of concept 'soil' is added.
3. Values 'saline1', 'saline2' of property 'w_status' of concept 'water' is added
4. Values 'saline' of property 'w_status' of concept 'water' is deleted.
5. Property 'type' of concept 'soil' is deleted.
6. Property 'material' of concept 'operation' is added.
7. Value 'شتلات مجمدة' of property 'type' of concept 'plantation' is added
8. The Observation concept was removed.
9. The properties iron_def_sp, manganese_def_sp, zinc_def_sp, nitrogen_def_sp, salt_injury_sp, magnesium_def_sp, calcium_def_sp, potassium_def_sp of concept disorder are added.
10. The legal values 'silver' and 'coarse' are added to the properties f_color and f_shape respectively of concept fruit.
11. The concept farm_data has been added
12. The concept insects in page 3 in the design is replaced by insect.
13. The concept environmental in design is replaced by environment.

3. Assessment subsystem

3.1 Concepts properties

Concept	Property	Facets	
Climate	Max_D_TC_SS ⁺	V.S.	DB
		V.T.	Real
		S/M.	S
		P.V.	-10 : 50
	Min_D_RH_SS ⁺	V.S.	DB
		V.T.	Real
		S/M.	S
		P.V.	0 : 100
	C_Status	V.S.	Derived
		V.T.	Nominal
		S/M.	M
		P.V.	suitable climate, critical, unsuitable climate, unsuitable for Navel
Conclusion	Text_sp	V.S	Derived
		V.T	Nominal
		S/M	M
		P.V	Text Result
	Text_w	V.S	Derived
		V.T	Nominal
		S/M	M
		P.V	Text Result
	Text_wp	V.S	Derived
		V.T	Nominal
		S/M	M
		P.V	Text Result
	Text_cp	V.S	Derived
		V.T	Nominal
		S/M	M
		P.V	Text Result
	Text_sw	V.S	Derived
		V.T	Nominal
		S/M	M
		P.V	Text Result

3.2 Relations between expressions

There is no change

3.3 Inference layer


There is no change



3.4 Task layer

Dynamic role 'abstract system description' is modified to 'abstract case description' in abstract, assign inference steps:

3.5 User Interface

Input screen





Output Screen



Output Screen

تقسيم الأرض للأراخ	العملية الزراعية التالية هي
إقامة بستان حديث	نوع البستان
إجبارية	أهمية العملية
لا توجد مادة	المادة المستخدمة

طريقة التطبيق

تقسم الأرض الى مسافات متساوية ثلاثم طبقة النمو الخضري للسنتف الشراذ زراعتة وهي : ٥ × ٥ م للبرتقال والليمون البذرة والسطحومة م للوسغى والجريب فروت 4 × 4

تصت لقطة فيديو نصن مرتجيط المعرفة الخاصة بهذه العملية العملية التالية خروج

3.6 Multimedia Integration

There is no change

3.7 Test Cases

All test cases assume the current system date is: Jan., 2001

Case No. (1)			
Inputs			
Variety Name	: Valencia	Previous yield Production	: 0
Plantation Date	: 1-2-01	Boron	: 0.5
Texture	: sand	Eciw	: 1.2
Water Table Level	: 2	SAR	: 7
EC	: 2	RSC	: 1.1
ESP	: 8	Max_D_TC_SS	: 30
Ca Carbonate	: 8	Min_D_RH_SS	: 50
Output Result			
Improving sandy soil texture before cultivation			

Case No. (2)			
Inputs			
Variety Name	: Succar	Previous yield Production	: 2
Plantation Date	: 1-1-92	Boron	: 0.5
Texture	: loam	Eciw	: 1.2
Water Table Level	: 2	SAR	: 7
EC	: 3.0	RCS	: 1.1
ESP	: 8	Max_D_TC_SS	: 32
Ca Carbonate	: 7	Min_D_RH_SS	: 60
Output Result			
Reduce soil salinity by leaching for existence plantation			

Case No. (3)			
Inputs			
Variety Name	: Valencia	Previous yield Production	: 0
Plantation Date	: 1-2-99	Boron	: 0.5
Texture	: clay loam	Eciw	: 1.2
Water Table Level	: 3	SAR	: 7
EC	: 1.5	RCS	: 1.1
ESP	: 12	Max_D_TC_SS	: 30
Ca Carbonate	: 8	Min_D_RH_SS	: 50
Output Result			
Reduce soil alkaline by adding Gypsum to replace Sodium with Calcium before cultivation			


Case No. (4)			
Inputs			
Variety Name	: Lime	Previous yield Production	: 0
Plantation Date	: 1-2-99	Boron	: 0.6
Texture	: sandy clay	Eciw	: 1.2
Water Table Level	: 3	SAR	: 7
EC	: 1.5	RCS	: 1.1
ESP	: 7	Max_D_TC_SS	: 37
Ca Carbonate	: 8	Min_D_RH_SS	: 35
Output Result			
Your location climate is critical. You have to prepare your location by wend break two years before plantation and follow narrow plant spacing			

Case No. (5)			
Inputs			
Variety Name	: Lime	Previous yield Production	: 0
Plantation Date	: 1-2-99	Boron	: 0.5
Texture	: silty loam	Eciw	: 1.2
Water Table Level	: 3	SAR	: 7
EC	: 1.5	RCS	: 1.1
ESP	: 7	Max_D_TC_SS	: 40
Ca Carbonate	: 8	Min_D_RH_SS	: 25
Output Result			
Your climate is not suitable for orange or lime cultivation			

4. Plant Care_subsystem

4.1. Relation between Concepts

oper



;

;

;

4.2. Concepts properties

Notice that

- The ‘operation’ concept is replaced by ‘oper’ in the plantcare and assesment subsystems.

Concept	Property	Facets	
Oper	status	V.S.	drived
		V.T.	Boolean
		S/M.	single
		P.V.	suggested
	occurrence	V.S.	Database; user
		V.T.	Boolean
		S/M.	single
		P.V.	تم عملها، لم يتم عملها بعد
	importance	V.S.	derived
		V.T.	Boolean
		S/M.	single
		P.V.	إجبارية، اختيارية
	material	V.S.	Derived
		V.T.	string
		S/M.	single
		P.V.	text
	method	V.S.	Derived
		V.T.	string
		S/M.	single
		P.V.	text
	text	V.S.	Derived
		V.T.	string
		S/M.	multiple
		P.V.	text
	video	V.S.	Derived
		V.T.	String
		S/M.	Multiple
			text

4.3. Relations between expressions

There is no change

4.4. Inference layer

There is no change

4.5. Task layer

There is no change

4.6. User Interface

The following screens are updated

Input:

The original input screen

نوع البستان

العملية الزراعية المقترحة السابقة

تم عملها
لم يتم عملها



الظاهرة


وجود اختلاف كبير في منسوب التربة
استخدام الري بالتنقيط
وجود ماء رى يكفى لحاجة المؤقتات وشتلات الموالح معا
تم قطف الثمار
ضعف انتاج الصنف

تم

Fig. (3): screen for input data

Is updated to the following individual screens






The output is



Another session with different case



The output is



4.7. Test Cases

Case 1

Input

Session date: 1/8/2000

Plantation: type =

plantation : appearance =

: occurrence =

: occurrence =

Output

The screenshot shows a software window titled "Output Screen" with a blue header. It contains a table with the following data:

المادة المستخدمة	أهمية العملية	نوع البستان	العملية الزراعية التالية هي
لا توجد مادة	اختيارية	إقامة بستان حديث	تسوية التربة

Below the table is a section titled "طريقة التطبيق" (Application Method) with a text area containing the following text:

في حالة استخدام الجرارات و اللودر وسيارات نقل مع الاميزان يتم تحديد منسوب التربة ثم نقل الاجزاء الزائدة عن المنسوب المطلوب الى الاجزاء المنخفضة عن المنسوب بما يحقق كفاءة عالية في عملية الري. وفي حالة استخدام اشعة الليزر يتم التسوية من خلال الآلة

At the bottom of the window are several buttons: "تمت" (Done), "لقطة فيديو" (Video Snapshot), "نص مرتبط" (Related Text), "المعرفة الخاصة بهذه العملية" (Knowledge about this operation), "العملية التالية" (Next operation), and "خروج" (Exit).

عند الضغط على " العملية التالية

The screenshot shows a software window titled "Output Screen" with a blue header. It contains a table with the following data:

المادة المستخدمة	أهمية العملية	نوع البستان	العملية الزراعية التالية هي
% شتلات الكازورينا - سماد بلاي - سوبر فوسفات ١٥	إجبارية	إقامة بستان حديث	لزراعة مصدات الرياح

Below the table is a section titled "طريقة التطبيق" (Application Method) with a text area containing the following text:

طنزروع شتلات الكازورينا في اتجاهات الجنوب و الغرب بمعدل صنية في كل اتجاه بين الشتلة و الاخرى ٢ م و بين الصف و الآخر ٢ م بالتبادل ، و في اتجاه الشرق و الشمال يزرع صف واحد في كل اتجاه على مسافة ٢ م بين كل شتلة و الاخرى ويفضل اضافة مادة عضوية بمعدل واحد مقطف سماد بلاي (% لكل شتلة مع ١٠٠ جم سوبر فوسفات ١٥) .
الأداة المستخدمة في اجراء العملية : ديفشر لعمل خطوط الزراعة ، فأس لزراعة الشتلات .

At the bottom of the window are several buttons: "تمت" (Done), "لقطة فيديو" (Video Snapshot), "نص مرتبط" (Related Text), "المعرفة الخاصة بهذه العملية" (Knowledge about this operation), "العملية التالية" (Next operation), and "خروج" (Exit).

Case 2

Input

Session date: / /2000

Plantation: type =

plantation : appearance =

تم عملها = occurrence :

تم عملها = occurrence :

تم عملها = occurrence :

تم عملها = occurrence :

لم يتم عملها بعد = occurrence :

تم عملها = occurrence :

لم يتم عملها بعد = occurrence :



العملية الزراعية التالية هي
'حفر جور الزراعة'
نوع البستان
'قائمة بستان حديث'
أهمية العملية
إجبارية
المادة المستخدمة
'لا توجد مادة'

طريقة التطبيق

جدد تحديد مسافة الزراعة المناسبة
الطريقة الأولى: تحفر الجور بأبعاد هي : ٦٠ سم طول
سم عرض 60
سم عمق 60 .
مع ضرورة امزاج تراب الحفر حول الجورة
الطريقة الثانية: عمل فنادق بطول صفوف الأشجار بأبعاد ٧٠ × ٧٠ × ٧٠ سم

تمت لقطة فيديو نص مرتبط المعرفة الخاصة بهذه العملية العملية التالية خروج

Output Screen

زراعة الشتلات	العملية الزراعية التالية هي
اقامة بستان حديث	نوع البستان
إجبارية	أهمية العملية
شقة للصنف المراد زراعته 170	المادة المستخدمة

طريقة التطبيق

توضع الشتلة في مركز الجورة و تكون منطقة التطعيم عكس اتجاه الريح ثم الردم بمخلوط الاسمدة مع تراب الحفر وداخل الخندق ثم الري

تمت | لحظة فيديو | نص مرتبط | المعرفة الخاصة بهذه العملية | العملية التالية | خروج

Output Screen

زرى الشتلات في عام الزراعة	العملية الزراعية التالية هي
اقامة بستان حديث	نوع البستان
إجبارية	أهمية العملية
لا توجد مادة	المادة المستخدمة

طريقة التطبيق

تروى الأشجار يوميا حسب الاتي

مارس	لتر / شجرة / يوم 24
ابريل - سبتمبر	لتر / شجرة / يوم 32
اكتوبر	لتر / شجرة / يوم 24
نوفمبر - فبراير	لتر / شجرة / يوم 12

تمت | لحظة فيديو | نص مرتبط | المعرفة الخاصة بهذه العملية | العملية التالية | خروج

Case 3

Input

Session date: 22/10/2000

Plantation: type =

plantation : appearance =

: occurrence = عملها = تم عملها

: occurrence = عملها = تم عملها

Output

العملية الزراعية التالية هي

نوع البستان

أهمية العملية

المادة المستخدمة

طريقة التطبيق

تروى الأشجار يوميا حسب الاتي	مارس	ابريل - سبتمبر	اكتوبر	نوفمبر - فبراير
	24 لتر / شجرة / يوم	32 لتر / شجرة / يوم	24 لتر / شجرة / يوم	12 لتر / شجرة / يوم

تمت

لقطة فيديو

نص مرتبط

المعرفة الخاصة بهذه العملية

العملية التالية

خروج

Case 4

Input

Session date: 22/1/2000

Plantation: type =

plantation : appearance =

تم عملها = occurrence : مقاومه الحشائش فى حدائق الموالح المثمره

لم يتم عملها بعد = occurrence :

Output

74 Output Screen					
التمزيق في حدائق الموالح المثمرة	العملية الزراعية التالية هي				
ارعاية البستان	نوع البستان				
إجبارية	أهمية العملية				
لا توجد مادة	المادة المستخدمة				
طريقة التطبيق					
<p>1- عزقة رئيسية عميقة بالفأس خلال ديسمبر أو يناير 2- عزيق سطحي قبل التزهير إذا دعت الحاجة لذلك 3- عزيق خربشة أو حش الحشائش خلال الفترة من ابريل - يونيو 4- عزيق سطحي خلال الفترة من يوليو و حتى أكتوبر الحدائق التي تروى بالتنقيط يكفي بالتمزيق حول الأشجار فقط أي المنطقة التي يوجد بها الحشائش</p>					
تمت	نقطة فيديو	نص مرتبط	المعرفة الخاصة بهذه العملية	العملية التالية	خروج

Case 5

Input

Session date: 22/12/2000

Plantation: type =

plantation : appearance =

لم يتم عملها بعد = occurrence :

تم عملها = occurrence : مقاومه الحشائش في حدائق الموالح المثمرة

تم عملها = occurrence : العزيق في حدائق الموالح المثمرة

Output

74 Output Screen					
تعقيم أشجار الموالح المثمرة	العملية الزراعية التالية هي				
ارعاية البستان	نوع البستان				
إجبارية	أهمية العملية				
لا توجد مادة	المادة المستخدمة				
طريقة التطبيق					
<p>بعد جمع المحصول يتم التعقيم كالآتي :</p> <p>1- إزالة السرطانات و الأفرخ السائبة و الأفرخ الجافة 2- إزالة الأجزاء الجافة من الأفرخ 3- فتح قلب الشجرة بدرجة متوسطة 4- إزالة الأفرخ المصابة بالحشرات والأضرار 5- قص قمم الأفرخ المرغمة بحيث لا يزيد ارتفاع الشجرة عن 3.0 م</p>					
تمت	نقطة فيديو	نص مرتبط	المعرفة الخاصة بهذه العملية	العملية التالية	خروج

5. Diagnosis subsystem

5.1 Relations between expressions

Disorder & Plant & Observation CONFIRM Disorder

The following rules are modified

The original version

disorder Plant Leaves	value Age L_Color P_Position	gummosis >= 5 yellow; light green main veins	gummosis	Confirmed	likely
Disorder Leaves	Value L_Color L_Shape L_C_Position	Citrus_white_fly Black honey dew upper surface	Citrus_white_fly	Confirmed	Likely

The modified version

disorder Plant Leaves	value Age L_Color P_Position	gummosis >= 5 yellow; light green main veins	gummosis	Confirmed	likely
Disorder Leaves	Value L_Color L_Shape L_C_Position	Citrus_white_fly Black honey dew upper surface	Citrus_white_fly	Confirmed	Likely

Disorder & Soil VERIFY Disorder

The following rules in the original design are modified as described below.

The original version:

LEFT HAND SIDE			RIGHT HAND SIDE		
Concept	Property	Value	Concept	Property	Value
iron_def Soil	Confirmed Spread_range pH Ca_carbonate	likely most trees < 8.5 < 10	iron_def	Confirmed	most likely
manganese_def Soil	Confirmed Spread_range pH Ca_carbonate	likely most trees < 8.5 < 10	manganese_def	Confirmed	most likely
zinc_def Soil	Confirmed Spread_range pH Ca_carbonate	likely most trees < 8.5 < 10	zinc_def	Confirmed	most likely
Nitrogen_def Soil	Confirmed Spread_range Water_table_level	Likely most trees < 1.5	Nitrogen_def	Confirmed	most likely
Salt_injury Soil	Confirmed Spread_range Ec	likely most trees >=2	Salt_injury	Confirmed	most likely

The modified version:

iron_def Soil	Confirmed iron_def_sp pH Ca_carbonate	likely most trees < 8.5 < 10	iron_def	Confirmed	most likely
manganese_def Soil	Confirmed manganese_def _sp pH Ca_carbonate	likely most trees < 8.5 < 10	manganese_def	Confirmed	most likely
zinc_def Soil	Confirmed zinc_def_sp pH Ca_carbonate	likely most trees < 8.5 < 10	zinc_def	Confirmed	most likely
Nitrogen_def Soil	Confirmed Nitrogen_def_sp Water table level	Likely most trees < 1.5	Nitrogen_def	Confirmed	most likely
Salt_injury Soil	Confirmed Salt_injury_sp Ec	likely most trees >=2	Salt_injury	Confirmed	most likely

Disorder & Water VERIFY Disorder

The following rules in the original design are modified as described below.

The original version:

LEFT HAND SIDE			RIGHT HAND SIDE		
Concept	Property	Value	Concept	Property	Value
Salt_injury Water	Confirmed Spread_range Eciw	likely most trees >= 1	Salt_injury	Confirmed	most likely

The modified version:

LEFT HAND SIDE			RIGHT HAND SIDE		
Concept	Property	Value	Concept	Property	Value
Salt_injury Water	Confirmed Spread_range Eciw	likely most trees >= 1	Salt_injury	Confirmed	most likely

Disorder & Soil & Water VERIFY Disorder

The following rules in the original design are modified as described below.

The original version:

LEFT HAND SIDE			RIGHT HAND SIDE		
Concept	Property	Value	Concept	Property	Value
magnesium_def Water Soil	Confirmed Spread_range Eciw Ec	likely most trees < 1 < 2	magnesium_def	Confirmed	most likely
Calcium_def Water	Confirmed Spread_range Eciw	likely most trees < 1	Calcium_def	Confirmed	most likely

Soil	Ec	< 2			
Potassium_def	Confirmed	likely	Potassium_def	Confirmed	most likely
Water	Spread_range	most trees			
Soil	Eciw	< 1			
	Ec	< 2			

The modified version:

LEFT HAND SIDE			RIGHT HAND SIDE		
Concept	Property	Value	Concept	Property	Value
magnesium_def	Confirmed	likely	magnesium_def	Confirmed	most likely
Water	magnesium_def_s	most trees			
Soil	p				
	Eciw	< 1			
	Ec	< 2			
Calcium_def	Confirmed	likely	Calcium_def	Confirmed	most likely
Water	Calcium_def_sp	most trees			
Soil	Eciw	< 1			
	Ec	< 2			
Potassium_def	Confirmed	likely	Potassium_def	Confirmed	most likely
Water	Potassium_def_sp	most trees			
Soil	Eciw	< 1			
	Ec	< 2			

5.2 Inference layer

- The following dynamic roles added to the dynamic role table:

Dynamic Role	Domain primitives
Confirmed Disorder(s)	The confirmed disorders

- The following dynamic roles is deleted from the dynamic role table
Possible Disorder

- The following inference steps are modified to:

Name	PREDICT
Function	The hypothesis disorder(s) are to be predicted using User complains and Case Description
Input	Complain , Case Description
Output	Hypothesis
Static Role	Observation CAUSED_BY Disorder Observation & Plant CAUSED_BY Disorder Observation & Variety CAUSED_BY Disorder Observation & Variety & Plant CAUSED_BY Disorder
Method	Use the CAUSED_BY relation
Name	VERIFY
Function	The confirmation of the disorder is to verified using the case of system description and the confirmed disorder(s)
Input	Confirmed Disorder(s), System Description, Case description

Output	Diagnostic Disorder(s)
Static Role	Disorder & Observation & Plant VERIFY Disorder Disorder & Observation & Variety VERIFY Disorder Disorder & Observation & Plant & Variety VERIFY Disorder Disorder & Observation VERIFY Disorder Disorder & Water VERIFY Disorder Disorder & Soil VERIFY Disorder Disorder & Soil & Water VERIFY Disorder Plant VERIFY Disorder Disorder VERIFY Disorder
Method	Use the VERIFY relations

- The following inference step are replaced by a procedure in the interface:-

Generate complain

Generate Confirmed observation

Generate High Confirmed observation

5.3 Task layer

Task Layer Disorder Diagnosis

Goal finding causes of user complains or verifying the user assumption

Obtain from DB (Plantation_Date)

Obtain from system (Plantation.Current_Date)

If (Plantation_Date <= Plantation.Current_Date) Then Plantation.Existance = "Yes"
Else Plantation.Existance = "No"

Plant.Age = (Plantation_Date - Plantation.Current_Date)

If (Plantation.Existance = "Yes")

{

DETERMINE (System Description -----> Case Description)

Present citex diagnosis Screen

IF button1 selected THEN

Generate complain

Update concept list in citex diagnosis Screen

ENDIF

IF Susbutton selected THEN

PREDICT (Complain-----> Suspected Disorders)

Update suspected disorders list in citex diagnosis Screen

Generate confirmed observation

Update concept list in citex diagnosis Screen

ENDIF

IF Conbutton selected THEN

CONFIRM (Suspected Disorders + Case Description + Confirmed

Observation -----> Confirmed Disorder)

Update confirmed disorders list in citex diagnosis Screen

Generate Highly Confirmed observation

Update concept list in citex diagnosis Screen

ENDIF

IF HiConbutton selected THEN

VERIFY (Confirmed Disorder + System Description + Case Description
----->Diagnostic Disorder(s))

Update higy confirmed disorders list in citex diagnosis Screen

ENDIF


}

Else

Present Message ("There is no Plantation exists to be diagnose")

Endif

5.4 User Interface



Citex diagnosis Screen

5.5 Diagnosis Test Case

Case 1

Variety Name : Valencia
Plantation Date : 1-1-90
Current Date : 1-7-01
Leaves color : black
Leaves shape : honey dew
Leaves l_status : insect_presented
Insect color : white
Insect status : flying

Conclusion

Disorders confirmed likely
Mealy bug
Disorders confirmed Most likely
Citrus white fly

Case 2

Variety Name: Navel
Soil pH: 7.0
EC: 2.0
ECiw: 2.0
Calcium Carbonate: 8.0
Initial Observation
Leaves color: yellow
Buds color: brown
Branches status: stunted
Branches type: flushed
Leaves type: new leaves
Leaves position: veins
Fruits status: reduced
Fruits shape: small
Buds status: abnormal

Conclusion

Disorders confirmed likely
Calcium def
Disorders confirmed most likely
Bud mite, iron def

Case 3

Variety Name : Valencia
Plantation Date: 1-1-80
Current Date: 1-7-01
Leaves color: green
Branches color: spotted yellowish
Trunk shape: lichen growths
Branches status: gray fellvet

Conclusion

Disorders confirmed Most likely
lichens

Case 4

Variety Name: Valencia

Plantation Date: 1-1-90

Current Date: 1-7-01

Leaves color: green, yellow

Leaf spots exists: yes

Leaf spot color: brown

Leaf spot position: lower surface

Conclusion

Disorders confirmed likely

Gum spots

Case 5

Variety Name: Lime

Plantation Date: 1-1-80

Current Date: 1-12-98

Leaf spots exists: yes

Fruits color: rust

Fruits status: rough

Leaf spot color: brown

Leaf spot position: scattered

Conclusion

Disorders confirmed Most likely

Rust mite

6. Treatment subsystem

6.1. Relations between expressions

Disorder & Variety & Plant TREATED_BY Treat_Op

The following rules in the original design are modified as described below.

The original version:

LEFT HAND SIDE			RIGHT HAND SIDE		
Concept	Property	Value	Concept	Property	Value
Disorder valancia Plant	Confirmed	mediterranean_fruit_fly	mediterranean_fruit_fly	Material_Name	{malthion 57%+ policure; libacid 50%+ bominal }
	Highly Confirmed				
# valancia Plant	Current_Month	4		Method Date Number	chemical spray current date 1
	Confirmed	mediterranean_fruit_fly			
# valancia Plant	Highly Confirmed	mediterranean_fruit_fly			
	Current_Month	9			
Disorder valancia Plant	Confirmed	mediterranean_fruit_fly	mediterranean_fruit_fly	Material_Name Method Date Number	none advice current date 1
	Highly Confirmed				
# valancia Plant	Current_Month	# 4			
	Confirmed	mediterranean_fruit_fly			
# valancia Plant	Highly Confirmed	mediterranean_fruit_fly			
	Current_Month	# 9			
Disorder valancia Plant	Confirmed	mediterranean_fruit_fly	mediterranean_fruit_fly	Material_Name	material_gr12
	Highly Confirmed				
# valancia Plant	Current_Month	4			
	Confirmed	mediterranean_fruit_fly			
# valancia Plant	Highly Confirmed	mediterranean_fruit_fly		Method Date Number	chemical spray current date 1
	Current_Month	9			

The modified version:

LEFT HAND SIDE			RIGHT HAND SIDE		
Concept	Property	Value	Concept	Property	Value
Disorder Variety Plant	Confirmed	mediterranean_fruit_fly	mediterranean_fruit_fly	Material_Name	{malthion 57%+ policure; libacid 50%+ bominal }
	Highly Confirmed	valancia			
# valancia Plant	Current_Month	4		Method Date Number	chemical spray current date 1
	Confirmed	mediterranean_fruit_fly			
# valancia Plant	Highly Confirmed	mediterranean_fruit_fly			
	Current_Month	# 9			
Disorder Variety Plant	Confirmed	mediterranean_fruit_fly	mediterranean_fruit_fly	Material_Name Method Date Number	none advice current date 1
	Highly Confirmed	valancia			
# valancia Plant	Current_Month	# 4			
	Confirmed	mediterranean_fruit_fly			
# valancia Plant	Highly Confirmed	mediterranean_fruit_fly		Material_Name Method Date Number	none advice current date 1
	Current_Month	# 9			

Disorder Variety Plant	Confirmed	mediterranean_fruit_fly	mediterranean_fruit_fly	Material_Name	material_gr12
	Highly Confirmed Value Current_Month	4			
Disorder Variety Plant	Confirmed	mediterranean_fruit_fly	mediterranean_fruit_fly	Method Date Number	chemical spray current date 1
	Highly Confirmed Value Current_Month	# valancia 9			

Disorder & Plant TREATED_BY Treat_Op

The following rules in the original design are modified as described below.

The original version:

LEFT HAND SIDE			RIGHT HAND SIDE		
Concept	Property	Value	Concept	Property	Value
Disorder Plant	Confirmed	citrus_nematode de 2;3	citrus_nematode	Material_Name	material_gr8
	Highly Confirmed			Method	soil_treatment
	Current_Month			Date Number	current date 1
Disorder Plant	Confirmed	citrus_nematode de # 2;3	Citrus_nematode_op1	Material_Name	vaydete
				Method	soil_treatment
			Date	current date	
			Number	1	
			Citrus_nematode_op2	Material_Name	vaydete
				Method	soil_treatment
Date	current date + 21				
Number	2				
Disorder Plant	Confirmed	citrus_nematode de # 2;3	citrus_nematode	Material_Name	material_gr8
	Highly Confirmed			Method	soil_treatment
	Current_Month			Date Number	next 1/2 1
magnesium_def Plant	Method	Advice	magnesium_def	Advice	No foliage application during the flowering stage and fruit setting
	Season	Spring			
Disorder Plant	Confirmed	citrus_nematode de # 2;3	citrus_nematode	Material_Name	citrus_nematode { temic 15%; furidan 10%; ragbi 10%} soil_treatment next 1/2 1
	Highly Confirmed			Method	
	Current_Month			Date	
				Number	
Disorder Plant	Confirmed	citrus_nematode de # 2;3	citrus_nematode	Material_Name	vaydete
				Method	soil_treatment
				Date	next 1/2
				Number	1
Disorder Plant	Highly Confirmed	citrus_nematode de # 2;3	citrus_nematode	Material_Name	vaydete
				Method	soil_treatment
				Date	next 1/2
				Number	1
Disorder Plant	Confirmed	citrus_nematode de # 2;3	citrus_nematode	Material_Name	vaydete
				Method	soil_treatment
				Date	next 1/2
				Number	1

				Date Number	next 22/2 2
Disorder	Confirmed	zinc_def	zinc_def	Material_Name Method Date Number	micro element mixture foliage nutrition current date 1
	Highly Confirmed				
Plant	Current_Month	summer			
Disorder	Confirmed	nitrogen_def	nitrogen_def	Material_Name Method Date Number	{urea; ammonium nitrate} foliage nutrition current date 1
	Highly Confirmed				
Plant	Season	# winter			
Disorder	Confirmed	potassium_def	potassium_def	Material_Name Method Date Number	{potassium_sulfate ; potassium_nitrate} foliage nutrition current date 1
Plant	Season				

The modified version:

LEFT HAND SIDE			RIGHT HAND SIDE		
Concept	Property	Value	Concept	Property	Value
Disorder Plant	Confirmed	citrus_nematode	Citrus_nematode_op1	Material_Name Method Date Number	material_gr8 soil_treatment current date 1
	Highly Confirmed				
	Current_Month	2;3	Citrus_nematode_op2	Material_Name Method Date Number	material_gr8 soil_treatment current date 2
			Citrus_nematode_op1	Material_Name Method Date Number	vaydete soil_treatment current date 1
			Citrus_nematode_op2	Material_Name Method Date Number	vaydete soil_treatment current date + 21 2
Disorder Plant	Confirmed	citrus_nematode	Citrus_nematode_op1	Material_Name Method Date Number	material_gr8 soil_treatment next 1/2 1
	Highly Confirmed				
	Current_Month	# 2;3	Citrus_nematode_op2	Material_Name Method Date Number	material_gr8 soil_treatment next 1/2 1
			citrus_nematode_op1	Material_Name Method Date Number	vaydete soil_treatment next 1/2 1
			citrus_nematode_op2	Material_Name Method Date Number	vaydete soil_treatment next 22/2 2
magnesium_def Plant	Method Season	Advice Spring	magnesium_def	Advice	No foliage application during the flowering stage and fruit setting
Disorder	Confirmed		citrus_nematode	Material_Name	

Plant	Highly Confirmed	citrus_nematode # 2;3		Method Date Number	
	Current_Month				
			citrus_nematode	Material_Name Method Date Number Material_Name Method Date Number	vaydete soil_treatment next 1/2 1 vaydete soil_treatment next 22/2 2
Disorder	Confirmed	zinc_def summer	zinc_def	Material_Name Method Date Number	micro element mixture foliage nutrition current date 1
Plant	Highly Confirmed season				
Disorder	Confirmed	nitrogen_def # winter	nitrogen_def	Material_Name Method Date Number	material_gr9 foliage nutrition current date 1
Plant	Highly Confirmed Season				
Disorder	Confirmed	potassium_def # winter	potassium_def	Material_Name Method Date Number	material_gr10 foliage nutrition current date 1
Plant	Highly Confirmed Season				

Disorder TREATED_BY Treat_Op

The following rules in the original design are modified as described below.

The original version:

LEFT HAND SIDE			RIGHT HAND SIDE		
Concept	Property	Value	Concept	Property	Value
Disorder	Confirmed	wilt_root_rot	wilt_root_rot_op1	Material_Name Method Date Number	topsin soil_treatment current date 1
	Higly confirmed		wilt_root_rot_op1	Material_Name Method Date Number	topsin soil_treatment current date + 21 days 2

The modified version:

LEFT HAND SIDE			RIGHT HAND SIDE		
Concept	Property	Value	Concept	Property	Value
Disorder	Confirmed	wilt_root_rot	wilt_root_rot_op1	Material_Name Method Date Number	topsin soil_treatment current date 1
	Higly confirmed		wilt_root_rot_op2	Material_Name Method Date Number	topsin soil_treatment current date + 21 days 2

Treat_Op DETERMINE Treat_Op

The following rules in the original design are modified as described below.

The original version:

LEFT HAND SIDE			RIGHT HAND SIDE		
Concept	Property	Value	Concept	Property	Value
gummosis	Material_Name	potasiam_permenganat	gummosis	Material_Qty Unit	10 gm/1 l water
	Material_Name	bordeaux_past		Material_Qty Unit	1 kg CuSo ₄ +2kg CaO +10 L water
leafminer	Material_Name	vertimec + super misrona 94%	leafminer	Material_Qty Unit	25 ml + 25 ml/100 l water
leafminer	Material_Name	vertimec + super royal 95%	leafminer	Material_Qty Unit	25 ml + 25 ml/100 l water
leafminer	Material_Name	vertimec + K.Z 95%	leafminer	Material_Qty Unit	25 ml + 25 ml/100 l water
leafminer	Material_Name	vertimec + kimisol 95%	leafminer	Material_Qty Unit	25 ml + 25 ml/100 l water
wilt_root_rot	Material_Name	topsin	wilt_root_rot	Material_Qty Unit	20 gm/tree
flat_mite	Material_Name	ortis 5% sc + kz oil	flat_mite	Material_Qty Unit	50 ml + 150 ml/100 l water
brown_mite	Material_Name	ortis 5% sc + kz oil	brown_mite	Material_Qty Unit	50 ml + 150 ml/100 l water
rust_mite	Material_Name	ortis 5% sc + kz oil	rust_mite	Material_Qty Unit	100 ml + 150 ml/100 l water
bud_mite	Material_Name	ortis 5% sc + kz oil	bud_mite	Material_Qty Unit	100 ml + 150 ml/100 l water
rust_mite	Material_Name	neron 50%	rust_mite	Material_Qty Unit	40 ml /100 l water
bud_mite	Material_Name	neron 50%	bud_mite	Material_Qty Unit	40 ml /100 l water
rust_mite	Material_Name	vertimec 1.8% + kz oil	rust_mite	Material_Qty Unit	30 ml+ 250 ml/100 L water
bud_mite	Material_Name	vertimec 1.8% + kz oil	bud_mite	Material_Qty Unit	30 ml+ 250 ml/100 L water
flat_mite	Material_Name	vertimec 1.8% + kz oil	flat_mite	Material_Qty Unit	30 ml+ 250 ml/100 L water
brown_mite	Material_Name	vertimec 1.8% + kz oil	brown_mite	Material_Qty Unit	30 ml+ 250 ml/100 L water

flat_mite	Material_Name	pride	flat_mite	Material_Qty Unit	100 ml/100 l water
brown_mite	Material_Name	pride	brown_mite	Material_Qty Unit	100 ml/100 l water
citrus_nematode	Material_Name	temic 15%	citrus_nematode	Material_Qty Unit	17 kg /feddan
citrus_nematode	Material_Name	furidan 10%	citrus_nematode	Material_Qty Unit	40 kg /feddan
citrus_nematode	Material_Name	ragbi 10%	citrus_nematode	Material_Qty Unit	24 kg /feddan
citrus_nematode	Material_Name	vaydete	citrus_nematode	Material_Qty Unit	4 L/feddan

The modified version:

LEFT HAND SIDE			RIGHT HAND SIDE		
Concept	Property	Value	Concept	Property	Value
gummosis	Material_Name	potasiam_permeng anat	gummosis	Material_Qty Unit	10 gm/1 l water
gummosis	Material_Name	bordeaux_past	gummosis	Material_Qty Unit	1 kg CuSo ₄ +2kg CaO +10 L water
leafminer_op1	Material_Name	vertimec + super misrona 94%	leafminer_ op1	Material_Qty Unit	25 ml + 25 ml/100 l water
leafminer_op1	Material_Name	vertimec + super royal 95%	leafminer_ op1	Material_Qty Unit	25 ml + 25 ml/100 l water
leafminer_op1	Material_Name	vertimec + K.Z 95%	leafminer_ op1	Material_Qty Unit	25 ml + 25 ml/100 l water
leafminer_op1	Material_Name	vertimec + kimisol 95%	leafminer_ op1	Material_Qty Unit	25 ml + 25 ml/100 l water
leafminer_op2	Material_Name	vertimec + super misrona 94%	leafminer_ op2	Material_Qty Unit	25 ml + 25 ml/100 l water
leafminer_op2	Material_Name	vertimec + super royal 95%	leafminer_ op2	Material_Qty Unit	25 ml + 25 ml/100 l water
leafminer_op2	Material_Name	vertimec + K.Z 95%	leafminer_ op2	Material_Qty Unit	25 ml + 25 ml/100 l water
leafminer_op2	Material_Name	vertimec + kimisol 95%	leafminer_ op2	Material_Qty Unit	25 ml + 25 ml/100 l water
leafminer_op3	Material_Name	vertimec + super misrona 94%	leafminer_ op3	Material_Qty Unit	25 ml + 25 ml/100 l water
leafminer_op3	Material_Name	vertimec + super royal 95%	leafminer_ op3	Material_Qty Unit	25 ml + 25 ml/100 l water
leafminer_op3	Material_Name	vertimec + K.Z 95%	leafminer_ op3	Material_Qty Unit	25 ml + 25 ml/100 l water

leafminer_op3	Material_Name	vertimec + kimisol 95%	leafminer_op3	Material_Qty Unit	25 ml + 25 ml/100 l water
wilt_root_rot_op1	Material_Name	topsin	wilt_root_rot_op1	Material_Qty Unit	20 gm/tree
wilt_root_rot_op2	Material_Name	topsin	wilt_root_rot_op2	Material_Qty Unit	20 gm/tree
flat_mite_op1	Material_Name	ortis 5% sc + kz oil	flat_mite_op1	Material_Qty Unit	50 ml + 150 ml/100 l water
flat_mite_op2	Material_Name	ortis 5% sc + kz oil	flat_mite_op2	Material_Qty Unit	50 ml + 150 ml/100 l water
brown_mite_op1	Material_Name	ortis 5% sc + kz oil	brown_mite_op1	Material_Qty Unit	50 ml + 150 ml/100 l water
rust_mite_op1	Material_Name	ortis 5% sc + kz oil	rust_mite_op1	Material_Qty Unit	100 ml + 150 ml/100 l water
bud_mite_op1	Material_Name	ortis 5% sc + kz oil	bud_mite_op1	Material_Qty Unit	100 ml + 150 ml/100 l water
rust_mite_op1	Material_Name	neron 50%	rust_mite_op1	Material_Qty Unit	40 ml /100 l water
bud_mite_op1	Material_Name	neron 50%	bud_mite_op1	Material_Qty Unit	40 ml /100 l water
rust_mite_op1	Material_Name	vertimec 1.8% + kz oil	rust_mite_op1	Material_Qty Unit	30 ml+ 250 ml/100 L water
bud_mite_op1	Material_Name	vertimec 1.8% + kz oil	bud_mite_op1	Material_Qty Unit	30 ml+ 250 ml/100 L water
flat_mite_op1	Material_Name	vertimec 1.8% + kz oil	flat_mite_op1	Material_Qty Unit	30 ml+ 250 ml/100 L water
brown_mite_op1	Material_Name	vertimec 1.8% + kz oil	brown_mite_op1	Material_Qty Unit	30 ml+ 250 ml/100 L water
flat_mite_op1	Material_Name	pride	flat_mite_op1	Material_Qty Unit	100 ml/100 l water
brown_mite_op1	Material_Name	pride	brown_mite_op1	Material_Qty Unit	100 ml/100 l water
citrus_nematode_op1	Material_Name	temic 15%	citrus_nematode_op1	Material_Qty Unit	17 kg /feddan
citrus_nematode_op1	Material_Name	furidan 10%	citrus_nematode_op1	Material_Qty Unit	40 kg /feddan
citrus_nematode_op1	Material_Name	ragbi 10%	citrus_nematode_op1	Material_Qty Unit	24 kg /feddan
citrus_nematode_op1	Material_Name	vaydete	citrus_nematode_op1	Material_Qty Unit	4 L/feddan
brown_mite_op2	Material_Name	ortis 5% sc + kz oil	brown_mite_op2	Material_Qty Unit	50 ml + 150 ml/100 l

					water
rust_mite_op2	Material_Name	ortis 5% sc + kz oil	rust_mite_op2	Material_Qty Unit	100 ml + 150 ml/100 l water
bud_mite_op2	Material_Name	ortis 5% sc + kz oil	bud_mite_op2	Material_Qty Unit	100 ml + 150 ml/100 l water
rust_mite_op2	Material_Name	neron 50%	rust_mite_op2	Material_Qty Unit	40 ml /100 l water
bud_mite_op2	Material_Name	neron 50%	bud_mite_op2	Material_Qty Unit	40 ml /100 l water
rust_mite_op2	Material_Name	vertimec 1.8% + kz oil	rust_mite_op2	Material_Qty Unit	30 ml+ 250 ml/100 L water
bud_mite_op2	Material_Name	vertimec 1.8% + kz oil	bud_mite_op2	Material_Qty Unit	30 ml+ 250 ml/100 L water
flat_mite_op2	Material_Name	vertimec 1.8% + kz oil	flat_mite_op2	Material_Qty Unit	30 ml+ 250 ml/100 L water
brown_mite_op2	Material_Name	vertimec 1.8% + kz oil	brown_mite_op2	Material_Qty Unit	30 ml+ 250 ml/100 L water
flat_mite_op2	Material_Name	pride	flat_mite_op2	Material_Qty Unit	100 ml/100 l water
brown_mite_op2	Material_Name	pride	Brown_mite_op2	Material_Qty Unit	100 ml/100 l water
citrus_nematode_op2	Material_Name	temic 15%	citrus_nematode_op2	Material_Qty Unit	17 kg /feddan
citrus_nematode_op2	Material_Name	furidan 10%	citrus_nematode_op2	Material_Qty Unit	40 kg /feddan
citrus_nematode_op2	Material_Name	ragbi 10%	citrus_nematode_op2	Material_Qty Unit	24 kg /feddan
citrus_nematode_op2	Material_Name	vaydete	citrus_nematode_op2	Material_Qty Unit	4 L/feddan

Treat_Op & Plant ENHANCED_BY Treat_Op

The following rules in the original design are modified as described below.

The original version:

LEFT HAND SIDE			RIGHT HAND SIDE		
Concept	Property	Value	Concept	Property	Value
manganise_def Plant	Method Season	Advice Spring	manganise_def	Advice	No foliage application during the flowering stage and fruit setting
manganise_def Plant	Method Season	manganise_def autumn; winter	manganise_def	Advice	No foliage application during the fruits collecting period.

bud_mite Plant	Method Current_week	Chemical spray > 0 < 7; >22 < 35; > 44 <= 52	bud_mite	Advice	The treatment at this time is not recommended. Time of chemical control in late of February, in case of infestation.
brown_mite Plant	Method Season	Chemical spray # summer	brown_mite	Advice	The treatment at this time is not recommended. Time of chemical control in late of May, in case of infestation.
flat_mite Plant	Method Season	Chemical spray Summer	flat_mite	Advice	Spot spraying localized infestation is good practice and tractor drawn equipment with agitator is often the ideal machine for application. Spraying should be as a mist, tacking umbrella shape at lower pressure and as far as possible from downwards to up words and pointing to the core of tree.
flat_mite Plant	Method Season	chemical spray # summer	flat_mite	Advice	The treatment at this time is not recommended. Time of chemical control in late of April, in case of infestation.
citrus_nematode	method	soil treatment	citrus_nematode	Advice	You must follow this operation by light irrigation to avoid application of fruit bearing trees.

The modified version:

LEFT HAND SIDE			RIGHT HAND SIDE		
Concept	Property	Value	Concept	Property	Value
manganese_def Plant	Method Season	Advice Spring	manganise_def	Advice	No foliage application during the flowering stage and fruit setting
manganese_def Plant	Method Season	manganise_def autumn; winter	manganise_def	Advice	No foliage application during the fruits collecting period.
bud_mite_op1 Plant	Method Current_week	Chemical spray > 0 < 7; >22 < 35; > 44 <= 52	bud_mite_op1	Advice	The treatment at this time is not recommended. Time of chemical control in late of February, in case of infestation.
bud_mite_op1 Plant	Method Current_week	Chemical spray > 0 < 7; >22 < 35; > 44 <= 52	bud_mite_op1	Advice	The treatment at this time is not recommended. Time of chemical control in late of February, in case of infestation.
brown_mite_op1 Plant	Method Season	Chemical spray # summer	brown_mite_op1	Advice	The treatment at this time is not recommended. Time of chemical control in late of May, in case of infestation.

flat_mite_op1 Plant	Method Season	Chemical spray Summer	flat_mite_o p1	Advice	Spot spraying localized infestation is good practice and tractor drawn equipment with agitator is often the ideal machine for application. Spraying should be as a mist, tacking umbrella shape at lower pressure and as far as possible from downwards to up words and pointing to the core of tree.
flat_mite_op1 Plant	Method Season	chemical spray # summer	flat_mite_o p1	Advice	The treatment at this time is not recommended. Time of chemical control in late of April, in case of infestation.
brown_mite_op 2 Plant	Method Season	Chemical spray # summer	brown_mite _op2	Advice	The treatment at this time is not recommended. Time of chemical control in late of May, in case of infestation.
flat_mite_op2 Plant	Method Season	Chemical spray Summer	flat_mite_o p2	Advice	Spot spraying localized infestation is good practice and tractor drawn equipment with agitator is often the ideal machine for application. Spraying should be as a mist, tacking umbrella shape at lower pressure and as far as possible from downwards to up words and pointing to the core of tree.
flat_mite_op2 Plant	Method Season	chemical spray # summer	flat_mite_o p2	Advice	The treatment at this time is not recommended. Time of chemical control in late of April, in case of infestation.
citrus_nematode _op1	method	soil treatment	citrus_nema tude_op1	Advice	You must follow this operation by light irrigation to avoid application of fruit bearing trees.
citrus_nematode _op2	method	soil treatment	citrus_nema tude_op2	Advice	You must follow this operation by light irrigation to avoid application of fruit bearing trees.

Treat_Op ENHANCED_BY Treat_Op relation

The following rules in the original design are modified as described below.

LEFT HAND SIDE			RIGHT HAND SIDE		
Concept	Property	Value	Concept	Property	Value
aphids #citrus_white_fly			aphids	Advice	The pressure of spraying motor must not exceed 100 pound per square inch without direct application Spray the infested trees only.


citrus_white_fly #aphids			citrus_white_fly	Advice	The pressure of spraying motor must not exceed 100 pound per square inch without direct application Spray the infested trees only.
Aphids & citrus_white_fly			Aphids	Advice	Spray infested trees only. The pressure of spraying motor must not exceed 100 pound per square inch without direct application. This operation used as shared treatment for aphids and citrus white fly.
Aphids & citrus_white_fly			citrus_white_fly	Advice	Spray infested trees only. The pressure of spraying motor must not exceed 100 pound per square inch without direct application. This operation used as shared treatment for aphids and citrus white fly.

Are modify to

LEFT HAND SIDE			RIGHT HAND SIDE		
Concept	Property	Value	Concept	Property	Value
aphids citrus_white_fly	Method method	chemical spray =\ chemical spray	aphids	Advice	The pressure of spraying motor must not exceed 100 pound per square inch without direct application Spray the infested trees only.
citrus_white_fly aphids	Method Method	chemical spray =\ chemical spray	citrus_wh ite_fly	Advice	The pressure of spraying motor must not exceed 100 pound per square inch without direct application Spray the infested trees only.
Aphids & citrus_white_fly	Method Method	chemical spray chemical spray	Aphids	Advice	Spray infested trees only. The pressure of spraying motor must not exceed 100 pound per square inch without direct application. This operation used as shared treatment for aphids and citrus white fly.
Aphids & citrus_white_fly	Method method	chemical spray chemical spray	citrus_wh ite_fly	Advice	Spray infested trees only. The pressure of spraying motor must not exceed 100 pound per square inch without direct application. This operation used as shared treatment for aphids and citrus white fly.

6.2. Inference layer

The inference structure is modified to the following



6.3. Task layer

Task Layer Disorder Treatment

Goal finding the ordered treatment operation for the diagnostic disorder(s)

Use the output confirmed and highly confirmed disorders from diagnosis system as an input for this system. The treatment task is applied when press treatment button in the treatment dialog screen.

PRESENT Citex Diagnosis & Treatment Screen

Obtain from sytem (Plantation.Current_Date)

Instantiate (Disorder + System description --> Partially Instantiated
Treatment Operation)

For all Treatment Operations

IF number of (Treat_Op.Material_Name) > 1

THEN OBTAIN (Treat_Op.Disorder_Name, Material_Name1)


Set Treat_Op.Material_Name by Material_Name1

Assign (Partially Instantiated Treatment Operation + System Description
---> Instantiated Treatment Operation)


Order (Instantiated Treatment Operation ----> Ordered Treatment Operation)

PRESENT Treatment Result screen

6.4. User Interface



Citex Diagnosis & Treatment Screen



Treatment Result screen

6.5. Treatment Test Case

Case 1

Disorders Name: Stubborn

Plantation Date: 1-1-90

Current Date: 1-12-2000

Conclusion

Operation Number 1

Operation Date 1-12-2000

Disorder name stubborn

Material Name none

Advice Infected young trees should be replaced by other healthy plants.

Use certified transplants.

Case 2

Disorder(s) name: citrus_white_fly, manganese_def

Current Date 1-7-2001

Select material: K.Z. 95%

Conclusion

Operation Number 1

Operation Date 1-7-2001

Disorder name citrus_white_fly

Material Name vertimec 1.8%
 Qty 30
 Unit ml/100 l water
 Method chemical spray
 Advice The pressure of spraying motor must not exceed 100 pound per square inch without direct application Spray the infested trees only.
 Operation Number 2
 Operation Date 4-17-2001
 Disorder name manganese_def
 Material Name micro element mixture
 Unit: as below
 Method foliage nutrition
 Advice The micro elements mixture is formulated, for every 100 lt water, as follow :
 30 gm Iron Chelate (EDTA) + 30 gm Zinc Chelate + 75 Mang. Chelate + 6 gm
 Copper Sulfate + 30 Magnesium Sulfate + 0.3 gm Borax

Case 3

Disorder name: scales
 Current Date 1-7-2001
 Selected Material kimisol 95%

Conclusion

Operation Number 1
 Operation Date 1-7-2001
 Disorder name scales
 Material Name kimisol 95%
 Qty 1.6
 Unit L/100 l water
 Method chemical spray
 Advice Use fit spraying motor with good mixing The trees must be completely washed.

Case 4

Current Date 1/4/2001
 Selected Material super aside

Conclusion

Operation Number 1
 Operation Date 1-4-2000
 Disorder name citrus_flower_moth
 Material Name super aside
 Qty 200
 Unit gm/100 l water
 Method chemical spray
 Advice The pressure of spraying motor must not exceed 100 pound per square inch without direct application. Spray trees of entire farm.

7. Database

The integration is done with the end user part of the database. Note that there are some modifications in the original design as follows:

1. The comment in the original design in the conceptual model part is modified to be as follows:
"the line ended by one arrow represents the one to one relation and by two arrows represents the one to many relation".
2. The table names: water, soil, and climate in the reference database are replaced by water reference, soil reference, climate reference.
3. The operation name 'new_protection_operation' in the interface component of protection operation is replaced by 'new'
4. The Button "New" is added for the following screens
Soil & water data reference,
climate data reference, and
soil assessment data (farm name)
5. The Button "delete" is added for the following screen
soil assessment data (farm name)
6. The type of the month field in climate_ref_table is modified to text
7. The table 'select_table' is added with the following fields:-
Sid numeric
gid numeric
did numeric
fid numeric
8. The length of the following fields are modify to be as following

File: caring_op_table

<u>Field name</u>	<u>new length</u>
did	2
fid	2
coid	2
op_name	50
material_name	50
unit	50
method of application	50
tool	50
advisor	50

File: climate_ref_table

Field name **new length**

did	2
avg_rh	4
month	50

File: climate_table

Field name **new length**

did	2
fid	2
avg_rh	4

File: directorate_table

Field name **new length**

did	2
sid	2
dname	50

File: farm_table

Field name **new length**

did	2
sid	2
fid	2
fname	50
area	4
irr-system	50
fert_system	50
drainage_system	50
nt	2
watersource	50
user_cont_water	50
variety_name	50

File: fertilization_op_table

Field name **new length**

did	2
fid	2
foid	2

fertilizer_name	50
unit	50
advisor	50
method of application	50
tool	50

File: the governorate_table

<u>Field name</u>	<u>new length</u>
sid	2
gname	50

File: harvest_op_table

<u>Field name</u>	<u>new length</u>
did	2
fid	2
hoid	2
rank	50
unit	50
method of application	50
tool	50
advisor	50
qty	4

File: diagnosis_treatment_op_table

<u>Field name</u>	<u>new length</u>
did	2
fid	2
toic (not toid)	2
disorder	50
material_name	50
unit	50
method of application	50
tool	50
advisor	50
material qty	4

File: irrigation_op_table

<u>Field name</u>	<u>new lenght</u>
did	2
fid	2
ioid	2
unit	50
advisor	50
water qty	4

File: protection_op_table

<u>Field name</u>	<u>new lenght</u>
did	2
fid	2
poid	2
disorder	50
material_name	50
unit	50
method of application	50
tool	50
advisor	50
material qty	4

File: sector_table

<u>Field name</u>	<u>new lenght</u>
sid	2
sname	50

File: soil_assessment_table

<u>Field name</u>	<u>new lenght</u>
did	2
fid	2
boron	4
chloride_sulphate	4
rsc	4
sar	4
profile depth	4

ca_carbonate	4
max_d_tc_ss	4
min_d_rh_ss	4

File: soil_ref_table

<u>Field name</u>	<u>new lenght</u>
did	2
texture	50
water_table_level	4
ec	4
ph	4
esp	4
fc	4
pmp	4

File: soil_table

<u>Field name</u>	<u>new lenght</u>
did	2
fid	2
texture	50
water_table_level	4
ec	4
ph	4
esp	4
fc	4
pmp	4

File: water_table

<u>Field name</u>	<u>new lenght</u>
did	2
fid	2
eciw	4

File: water_ref_table

<u>Field name</u>	<u>new lenght</u>
did	2
eciw	4

7.1. Database Interface

The screenshot shows a software window titled "Farm Data" with a standard Windows-style title bar (minimize, maximize, close buttons). The window has a menu bar with the following items: "Data Base", "Soil and Water Data", "Climate Data", "Soil Assessment Data", "Operation", "Repts", and "Exit". The "Data Base" menu is currently open, showing a list of options. Below the menu, the main area is titled "Farm Data" and contains several input fields and dropdown menus. The fields are arranged in two columns. The first column includes: "Directorate Name" (dropdown), "Farm Name" (dropdown), "Plantation Date" (text input), "Plantation Area" (text input), "Number of Trees" (text input), "Irrigation System" (dropdown), "Drainage System" (dropdown), and "Season Start Month" (text input). The second column includes: "Vairty Name" (dropdown), "Distance Between Trees" (text input), "Distance Between Rows" (text input), "Fertilization System" (dropdown), "Water Source" (dropdown), and "User Control Water" (dropdown). At the bottom of the window, there are five buttons: "New Farm", "Save", "Update", "Delete", and "Exit".

Database user- main screen.

8. Multimedia

8.1. Multimedia Components

8.2.1 Documents

- Book title "بساتين الفاكهة المستديمة " is updated to "بساتين الموالح المستديمة الخضرة" الخضرة
- Book title "زراعة وإنتاج الفاكهة " is updated to "الفاكهة"
- The following is deleted

Serial NO.	Book No.	Book title
1	1	بساتين الفاكهة المستديمة الخضرة
7 to 10	2	رفع الكفاءة الانتاجية لبساتين الحمضيات
10	4	انتاج محاصيل الفاكهة
11	5	زراعة و انتاج الفاكهة
6	6	الموالح أو الحمضيات
21 to 22 & 43	9	زراعة و انتاج الموالح
10	10	البرنامج القومى للنهوض بمحصول الموالح
26	11	المكافحة المتكاملة للآفات التى تصيب أشجار الموالح

8.2.2 Images

There is no change

8.2.3 Video Clips

There is no change

8.2. Multimedia Linking

8.2.1 Linking words with text in the books

The following item has been updated in table 20

The original one:

Table 20: Describe the links between the pre-define concepts with other related information

الربط بنص آخر بكتاب				النص الأصلي المطلوب ربطه بنص آخر			
الكلمة	الفقرة	الصفحة	الكتاب	الكلمة	الفقرة	الصفحة	الكتاب
القوارض	٢	٦٧	١٠	الفنران والخفافيش والقوارض	٣	٤٠	٥

Is updated to

الربط بنص آخر بكتاب				النص الأصلي المطلوب ربطه بنص آخر			
الكلمة	الفقرة	الصفحة	الكتاب	الكلمة	الفقرة	الصفحة	الكتاب
القوارض	٢	٦٧	١٠	الفئران والخفافيش والقوارض	٣	٤٠	٥

8.2.2 Linking the images with the Books

The following item has been updated in table 21

The original one:

Table 21 : List of word(s) linked with suitable image

رقم الصورة	الكلمة	موقع الكلمة		صفحة	الكتاب
		السطر	الفقرة		
٦	جريب فروت	١	٣	٣٦	٤

Is updated to

رقم الصورة	الكلمة	موقع الكلمة		صفحة	الكتاب
		السطر	الفقرة		
11	جريب فروت	١	٣	٣٦	٤

8.2.3 Linking the Video clips with the Books

The following items have been updated in table 22

The original one:

Table 22 : List of word(s) linked with suitable video clips

اللقطة	الكلمة	موقع الكلمة		صفحة	الكتاب
		السطر	الفقرة		
٤	مناطق انتاج الموالح فى العالم	١	١	٨	١

Is updated to

اللقطة	الكلمة	موقع الكلمة		صفحة	الكتاب
		السطر	الفقرة		
2	مناطق انتاج الموالح فى العالم	١	١	٨	١

The following items are deleted


Design report Page	رقم لقطة الفيديو	الكلمة	صفحة	الكتاب
٤٠	٤٠	و يعالج هذا المرض (التصمغ)	٤٨	٤
٤١	٣٥	بالرش(ذبابة الفاكهة)	٤٩	٤

The following item is added

رقم لقطة الفيديو	الكلمة	صفحة	الكتاب
٥٣	النيماتودا	٤٢	٩

9. User Interface

Some screens are added and others are modified. Citex main screen is added to integrate the whole system. The following comments and screen describe those modifications:



CITEX Main Screen

- The Data Base menu contains the “User” option, which display the database user main screen.
- The Multimedia menu contains the “MultiMedia” options.
- The Expert System menu contains the “Assessment”, “Plant Care”, “Diagnosis” and “Diagnosis & Treatment” options. The “Assessment” option will run the assessment subsystem. The “Plant Care” option will run the plant care subsystem. The “Diagnosis” option will run the diagnosis subsystem, and the “Diagnosis and Treatment” will display the Citex Diagnosis & Treatment Screen.